



Setting the Standard for Wear!

R & H Chrome Alloy MISCELLANEOUS AG PARTS

Learn more - www.rhmachine.com 1-800-321-6568

R & H Machine manufactures parts to fit a wide variety of different types of agricultural equipment. Most of the parts in this section have been requested by our customers to fit particular needs. Major manufacturers often will discontinue making replacement parts for equipment their customers still have in operation. Just because the parts have been discontinued doesn't mean the farmers have quit using them. Many times we are able to make replacement parts to keep those old reliable implements running. As special needs arise, we are able to combat wear problems, as well as keep the equipment in operation. In this section you will also find parts that do not fit into one of our defined groups. Equipment in this area include, but are not limited to: blade edges, rock-picker parts, nut-harvester liners, pipe-puller tips, gopher-machine points, and weld-on tips for a variety of uses. When asked, we will usually try to design a replacement part which will be better than the original, or that can be used to rebuild the original part. In order to do this we usually will need a worn-out part to show fit and wear pattern, and an idea of how often the parts need to be replaced. We would also like, if available, make and model of equipment, as well as original price (please see page 75 for our new parts requirements).

INSTRUCTIONS for WELDING

All R & H Chrome Alloy weld-on parts must be heated to a **bright cherry red** before welding. Use a mild-steel rod in a stick welder or a mild-steel wire in a wire-feed welder. Heat the casting, and, while it is still **red**, weld the part into place. The part to be repaired should be warm to prevent cracking. Room cool out of draft.

R & H CHROME ALLOY WELD-ON VEGETABLE PARTS

RH 22-2 1" x 2" SQUARE ROD



Length: 2"
Width: 1"
Height: 1"

RH 45 WELD-ON WEDGE

To fit: Parma Beet Lifter



Sides: 1-3/8" x 1-3/8" x 2"
Thickness: 3/8"

RH 18 C 3/4" ROUND ROD CURVED

To fit: Pickett bean harvester



Length: 12"
Width: 3-5/8"
Diameter: 3/4"

RH 04 WELD-ON POINT

To fit: pea-lifter

Length: 3"
Width: 1-3/8"
Thickness: 1/4"



RH 15 WELD-ON POINT

To fit: Case IH or JD vegetable shank

Length: 3-1/2"
Width: 1-1/2"
Thickness: 1/2"



RH 460 WELD-ON STEP FERTILIZER POINT

Length: 6-1/4"
Width: 1-1/4"
Thickness (notch): 5/8"
Drop at notch: 1/2"



R & H Chrome Alloy MISCELLANEOUS AG PARTS

R & H CHROME ALLOY AERATOR PARTS

RH 439 AERATOR TIP
RH 439 F FRONT EDGE
RH 439 R REAR EDGE

TIP:
 Length: 5"
 Height: 3-1/2"
 Thickness: 1-1/8"



	FRONT	REAR
Length:	12-3/8"	17-3/8"
Width:	1-1/8"	1-1/8"
Thickness:	5/8"	5/8"

RH 432 WELD-ON AERATOR INSERT

Height: 2-3/4"
 Width: 2-7/8"
 Thickness: 1-1/8"



RH 99 S AERATOR/RIPPER
RH 98 SBW L and R AERATOR WINGS

To fit: Strohm Ripper

POINT:
 Length: 10-1/4"
 Width: 2-3/4"
 Thickness: 1-1/8"
 Slot: 3/4"
 Hole: 1/2"



WINGS:
 Length: 5"
 Width: 4-1/8"
 Thickness: 3/4"
 Countersunk hole: 7/16"



RH 98 SBW-RIGHT



RH 98 SBW-LEFT

R & H CHROME ALLOY CORN PICKER

RH 530 CORN-PICKER NOSE

To fit: Pix-all Corn head

Length: 7-3/4"
 Width: 3"
 Height: 3-3/8"



R & H CHROME ALLOY AUGER INSERTS

RH 500 WELD-ON AUGER KNIFE INSERT

To fit: Hay bale grinder

Length: 3-1/4"
 Height: 1-5/8"
 Thickness: 1/2"



RH 970 WELD-ON AUGER FLIGHTING

Diameter:
 Outside: 9"
 Inside: 4"
 Thickness: 1/4"
 Pitch: 4"



Note: requires two sections to make one rotation

R & H CHROME ALLOY MISC. PARTS

RH 501 WELD-ON GRINDER INSERT

To fit: Forage grinder

Length: 2"
 Width: 5/8"
 Thickness: 3/4"



RH 505 WELD-ON MANURE SPREADER TIP

To fit: Kuhn 8100 Pro Twin Side Discharge

Length:
 Front: 3-3/4" Width: 2-1/4"
 Back: 2-1/4" Thickness: 1/2"



R & H CHROME ALLOY LEADING EDGES

RH 13 LEADING EDGE



Length: 12-7/16"
 Width: 2-1/2"
 Thickness: 3/4"



RH 14 LEADING EDGE



Length: 12"
 Width: 2"
 Thickness: 7/16"

R & H Chrome Alloy MISCELLANEOUS AG PARTS

RH CHROME ALLOY NUT HARVESTERS

RH 915 NUT-HARVESTER LINER

To fit: Flory nut harvester



Length: 15-5/8"
Width: 14-3/8"
Thickness: 3/4"
Holes: 1/2" hex

RH CHROME ALLOY TRUNNION PIVOT

RH 980 7/8" TRUNNION PIVOT

Length:	Diameter:
Overall: 3-1/4"	Body:
Body: 1-7/8"	Wide: 1-13/16"
Neck: 11/16"	Narrow: 1-3/8"
Hole size: 7/8"	End: 3/4"



RH CHROME ALLOY BEARING COVERS

RH 08 BEARING COVER

Length: 6-1/2"	Height: 2-3/4"
Diameter Inside: 6-3/4"	Thickness: 3/8"



RH 09 BEARING COVER

Length: 6"	Width:
Thickness: 3/8"	Ends: 3-5/8"
	Middle: 3-1/8"



RH CHROME ALLOY ROCK PICKER PARTS

To fit: Pratt, Big V, or Valley rock pickers

RH 950 SPOOL - for 1-1/2" SQUARE ROD

Height: 2-7/8"
Diameter: 3"
Hole: 1-1/2" square



RH 951 WEAR BLOCK

Hole spacing: 2-1/16"
Holes: 1/2"



RH 665 DRIVE SPROCKET

Diameter: 5-7/8"
Bore: 2" round
Pitch: 1.56"
Teeth: 13



NOTE: for our complete selection of sprockets, see SPROCKET section, pp. 57 to 61

R & H Chrome Alloy MISCELLANEOUS AG PARTS

R & H CHROME ALLOY GOPHER POINTS

RH 938 GOPHER SHANK POINT

Length: To fit: Gopher Getter
Total: 5-3/4"
Neck: 1-3/8"
Diameter:
Body: 2-1/2"
Neck: 2"



RH 939 GOPHER SHANK POINT

Length:
Total: 12"
Neck: 2"
Diameter:
Body: 2-1/2"
Neck: 1-5/8"
Fin Height: 6"



RH 940 GOPHER SHANK POINT

Length: To fit: Kentsch Gopher
Total: 5-5/8"
Neck: 1-1/2"
Diameter:
Body: 1-7/8"
Neck: 1-1/8"
Hole: 1/4"



RH 941 GOPHER SHANK POINT

To fit: Gopher Getter
Length: Diameter:
Total: 5-7/8" Body: 2-1/2"
Neck: 1-1/2" Neck: 1-3/4"
Hole: 3/8"



RH 942 GOPHER SHANK POINT

To fit: Verminator
Length: Diameter:
Total: 6-3/4" Body: 2-1/2"
Neck: 1-5/8" Neck: 1-5/8"
Hole: 3/8"



RH 943 A GOPHER SHANK POINT

To fit: Verminator
Height: Diameter:
Total: 19-1/4" Body: 2"
Length: Neck: 1"
Body: 8"
Neck: 1-1/4"



Note: 1/2" steel is pre-welded onto trailing edge for ease of installation.

R & H CHROME ALLOY PIPE PULLERS

RH 928 HEAVY-DUTY 2" PIPE PULLER

Length: 6-1/2"
Height: 6-1/4"
Diameter: 2"



RH 928 B SWEEPED-BACK 2" PIPE PULLER

Length: 7-1/4"
Height: 8"
Diameter: 2"



RH 928 C HEAVY-DUTY 1-1/4" PIPE PULLER

Length: 6-1/4"
Height: 4-1/2"
Diameter: 1-1/4"



RH 928 EXT PIPE PULLER EXTENSION

Length: 12"
Height: 3/4"
Thickness: 1/2"



RH 07 8" TAPE RUNNER

Length: 8"
Diameter Inside: 2-1/2"
Thickness: 3/16"

