



Setting the Standard for Wear!

R & H CULTIVATOR POINTS & SHOVELS

R & H Machine offers cultivator points and shovels to fit a wide variety of makes and models of cultivators. All are cast of High Chrome Alloy to give extremely long life in abrasive soils.

SAVE REPLACEMENT COSTS

R & H offers an extensive line of Chrome Alloy cultivator points and shovels to fit S-tine KMC and Triple K shanks. Some of these have outworn standard or hard faced points by as much as seventeen times.

SAVE COSTLY DOWN-TIME

Our parts last many times longer than original O.E.M. parts reducing down-time and the overall cost of cultivating.



RH 111

HELP MAINTAIN UNIFORM TILLAGE

The shovels maintain original width through the life of the part helping to keep uniform tillage. As a bonus, our parts will pull more easily.

HEX NUT DESIGN

Most of our points and shovels are designed to use a standard hex bolt instead of plow bolts. The bolts will last the life of the points.

SHOCK ABSORBING WASHERS

A bonded washer for each bolt is sent with every R & H Chrome Alloy point. The washer is to be inserted between the shank and the point. The use of bonded washers has virtually eliminated breakage.

PROPER USE PROLONGS LIFE

R & H points should be tightened only until the lock washer is flattened. Overtightening may result in breakage. Air impact tools should not be used. Please, **DO NOT** strike the point with a hammer to remove dirt from the shank.

R & H points and shovels keep their shape!!!

RH POINTS and SHOVELS to fit S-TINE SHANKS

In a controlled test, the R & H four-inch shovel outwore seventeen standard shovels. We know this is hard to believe; so we ask you to try a few on your S-tines and compare them with the best you have used so far. R & H's hex-head design makes replacement much easier when it finally becomes necessary. Our bonded washers, included with each order, have virtually eliminated breakage.

* R & H's MOST POPULAR STYLES *

RH 111 S-TINE POINT - GOOSE-FOOT

Width: 2-1/2"
Length: 3"
Bolt: 3/8" hex



RH 114 S-TINE POINT - REVERSIBLE

Width: 1-1/2"
Length: 7-3/8"
Bolt: 3/8" hex



RH 112 S-TINE POINT - 8" SHOVEL



Width: 8"
Bolt: 3/8" hex

NOTE:- for light shank, use RH 112
-for med. to heavy shank, use RH 112F

RH 112F FLAT S-TINE POINT - 8" SHOVEL



Width: 8"
Bolt: 3/8" hex

NOTE:- for light shank, use RH 112
-for med. to heavy shank, use RH 112F

RH 106 SMALL REVERSIBLE S-TINE POINT

To fit: Arena groomers



Width: 7/8"
Length: 5-3/8"
Bolt: 5/16" hex

RH 113 S-TINE POINT - 4-1/2" SHOVEL



Width: 4-1/2"
Bolt: 3/8" hex

RH 121 2-5/8" HEAVY-DUTY S-TINE POINT

- GOOSE-FOOT



To fit: HD 2-hole S-tine coil shank

Width: 2-5/8"
Length: 6-3/4"
Hole spacing: 1-1/2"
Bolts: 7/16" hex

RH 266 HEAVY-DUTY S-TINE POINT

Also used as drill point



Length: 8-5/8"
Width: 1-3/4"
Bolt: 3/8" hex

RH POINTS and SHOVELS to fit CULTIVATOR SHANKS

RH 115 CULTIVATOR POINT - (please designate A, B, or BS)

A & B - Broad tip on one end-spike on the other **BS** - Broad tip; single end



Dimensions (all):
Width: 2-1/8" at tip;
 1-3/4" at holes



RH 115A

To fit: Calkins, Glencoe, Krause, Older JD

Length: 10"
Hole spacing: 1-5/8"
Bolts: 3/8" hex

RH 115B

To fit: IH, Wilrich, Brady, Moline, Newer JD

Length: 10"
Hole spacing: 1-3/4"
Bolts: 7/16" hex

RH 115BS

To fit: JD tool bar

Length: 6-1/2"
Hole spacing: 1-3/4"
Bolts: 7/16" hex

RH 118 CULTIVATOR POINT

-(please designate A, B, or C)

- Broad tip on each end



Width: 2-1/8" at tip;
 1-3/4" at bolt holes
Length: 9-3/4"

RH 118A

To fit: Glencoe, Krause, Older JD, Calkins

Hole spacing: 1-5/8"
Bolts: 3/8" hex

RH 118B

To fit: IH, Wilrich, Brady, Moline, Newer JD

Hole spacing: 1-3/4"
Bolts: 7/16" hex

RH 118C

To fit: AC

Hole spacing: 2"
Bolts: 7/16" hex

RH 119 CULTIVATOR POINT - (please designate A, B, or C)

- Broad tip on each end



Width: 2-1/2" at tip;
 2" at bolt holes
Length: 10-1/4"

RH 119A

To fit: Glencoe, Krause, Older JD, Calkins

Hole spacing: 1-5/8"
Bolts: 3/8" hex

RH 119B

To fit: IH, Wilrich, Brady, Moline, Newer JD

Hole spacing: 1-3/4"
Bolts: 7/16" hex

RH 119C

To fit: AC

Hole spacing: 2"
Bolts: 7/16" hex

RH 130 5" CULTIVATOR SHOVEL

-(please designate A, B, or C)



Width: 5" at tip;
 2-1/2" at bolt holes
Length: 7-1/2"

RH 130A

To fit: Calkins (1-3/4" wide C-shank)

Hole spacing: 1-5/8"
Bolts: 3/8" plow

RH 130B

To fit: Calkins (1-3/4" wide C-shank)

Hole spacing: 1-3/4"
Bolts: 7/16" hex

RH 130C

To fit: Calkins (1-3/4" wide C-shank)

Hole spacing: 2-1/8"
Bolts: 7/16" plow

RH 140 5" CURVED CULTIVATOR SHOVEL

(please designate A, B, or C)



Width: 5" at tip;
 2-1/2" at bolt holes
Length: 7-1/2"

RH 140A

To fit: Most cultivators

Hole spacing: 1-5/8"
Bolts: 3/8" plow

RH 140B

To fit: Most cultivators

Hole spacing: 1-3/4"
Bolt: 7/16" hex

RH140C

To fit: Most cultivators

Hole spacing: 2-1/8"
Bolts: 7/16" plow

RH 143 8" CURVED CULTIVATOR SHOVEL

-(please designate A, B, or C)



Width: 8"
 2-1/2" at bolt holes
Length: 7-3/8"

RH 143A

To fit: Most cultivators

Hole spacing: 1-5/8"
Bolt: 3/8" plow

RH 143B

To fit: Most cultivators, including DMI

Hole spacing: 1-3/4"
Bolt: 7/16" hex

RH 143C

To fit: Most cultivators

Hole spacing: 2-1/8"
Bolt: 7/16" plow

RH 116 2-1/8" CULTIVATOR POINT

To fit: Acme, Domries, Strathmore



Broad tip on each end

Width: 2-1/8" at tips;
1-3/4" at bolt hole
Length: 10-3/8"
Bumps on back: 3" centers
Bolt: 3/8" hex

RH 117 3-1/2" CULTIVATOR POINT

To fit: Brillion, JD (fits 2" shank)

Width: 3-1/2"
Length: 7"
Bolt: 7/16" hex



RH 141 10" CULTIVATOR SHOVEL

To fit: Calkins Cultra-Weeder



Width: 10"
Length: 7-1/2"
Bolt: 7/16" hex

RH 160 6" SHOVEL

To fit: 1-1/2" Dammer Diker shank

Width: 6"; 2" at bolt holes
Length: 8-1/2"
Hole spacing: 2" to 2-3/8"
Bolts: 1/2" hex



NOTE: Heavy-duty, straight shank only
RH 140 B will fit standard light shank

RH 109 CULTIVATOR POINT

To fit: Glencoe Soil Saver (right hand)

Width: 5"
Hole spacing: 2-1/8"
Bolt: 1/2" plow



RH 110 CULTIVATOR POINT

To fit: Glencoe Soil Saver (left hand)



Width: 5"
Hole spacing: 2-1/8"
Bolt: 1/2" plow

RH 107 1" TOOL BAR POINT

To fit: Cultivator tool bar

Width: 1"
Length: 3"
Bolt: 3/8" plow



RH 108 2-1/8" TOOL BAR POINT

To fit: Cultivator tool bar

Width: 2-1/8"
Length: 3"
Bolt: 3/8" plow



RH WELD-ON CULTIVATOR POINTS

RH 497 WELD-ON 1.5" CULTIVATOR POINT

Length: 2-1/2"
Width: 1-5/8"
Thickness: 5/8"



RH 498 WELD-ON SWEEP NOSE CAP

Length: 4"
Width: 4-3/4"
Thickness: 1/4"



RH 499 WELD-ON CULTIVATOR POINT

Length: 1-1/8"
Width: 2-3/4"
Thickness: 3/8"

