



Setting the Standard for Wear!

R & H ROD WEEDER PARTS

R & H Machine offers a complete line of rod weeder wear parts to fit Calkins, John Deere, Flex King, Case IH, and Morris. We sell sprockets, wear collars, spools, wear blocks, and boot points. By popular demand, we have added goose-neck points with Chrome Alloy rod installed, or we have Chrome Alloy rod available for welding onto the front edge of your goose-neck points to greatly enhance performance and extend the life of the original parts. All of our parts are cast of High Chrome Alloy to give many years of reliable service.

R & H Chrome Alloy wear parts have proven themselves in all areas of the country and in all soil types. Our rod weeder wear parts not only last longer than standard parts, but also lengthen the life of the chain and other components in several ways. R & H Chrome Alloy wear parts don't allow the teeth to "hook" as readily, resulting in less stress on the chain and extended chain life. Most of our boot points are made wider than standard parts to give better side plate protection. Most boot points also are made with deeper penetration on the bottom to give better sprocket protection, resulting in prolonged chain and sprocket life.

SPROCKETS

We offer chain drive, rod drive, and idler sprockets.

COLLARS

Collars are used on both sides of drive sprockets, and can be turned to obtain even longer life.

GOOSE-NECK POINTS

We have goose-neck points, with Chrome Alloy rod installed, to fit your rod weeders.

SPOOLS

We have regular spools, barrel spools, and spools with set-screw collars

WEAR BLOCKS

Wear blocks are available to fit all types of our spools.

BOOT POINTS

We have regular, rock, and universal boot points.

WELD-ON RODS

We have Chrome Alloy rod for use on your goose-neck points (see RH 16).



Weed out the rest---Use the best!!!

RH ROD WEEDER PARTS to fit CALKINS

** CENTER DRIVE SPROCKET ** and COLLAR

RH 801 CENTER DRIVE SPROCKET
RH 805 WEAR COLLAR for RH 801



NOTE: Please specify 7/8" or 1" rod

** MAIN DRIVE SPROCKET **

RH 802 MAIN DRIVE SPROCKET



** SPOOLS and WEAR BLOCKS **

RH 810 BARREL SPOOL
RH 812 BARREL SPOOL
with SET-SCREW COLLAR
RH 813 WEAR BLOCK
for BARREL SPOOLS



RH 810

RH 812

RH 813

NOTE: Please specify 7/8" or 1" rod

RH 814 STRAIGHT-SIDED SPOOL
RH 815 WEAR BLOCK for RH 814



RH 814

RH 815

NOTE: Please specify 7/8" or 1" rod

** BOOT POINTS **

RH 820 BOOT POINT
REGULAR



RH 821 BOOT POINT
to fit CULTIWEEDER

RH 822 BOOT POINT
ROCK



RH 823 BOOT POINT
UNIVERSAL

** IDLER SPROCKET ASSEMBLY **

RH 825A IDLER SPROCKET with BUSHING
RH 794 or RH 795 F CAST WASHER



RH 825

RH 826 - 1/2" Bushing
RH 827 - 5/8" Bushing

NOTE:
Please specify
1/2" or 5/8"

RH 794 - 1/2" Hole
RH 795 F - 5/8" Hole

** HYDRAULIC DRIVE SPROCKET **

RH 828 A HYDRAULIC
DRIVE SPROCKET



** GOOSE-NECK POINTS **

RH 816 A STANDARD GOOSE-NECK POINT
RH 816 SE SINGLE-END GOOSE-NECK POINT



RH 816A



RH 816SE

Chrome Alloy rod pre-welded onto leading edge of 3/8" T-1 steel.

RH ROD WEEDER PARTS to fit JOHN DEERE

** CENTER DRIVE SPROCKETS ** and COLLARS

- RH 831 CENTER DRIVE SPROCKET
 RH 832 HEX-CENTER DRIVE SPROCKET
 for 1" HEX ROD



RH 831



RH 832

NOTE: Please specify 7/8" or 1" rod

- RH 835 WEAR COLLAR to fit 500 series
 RH 838 WEAR COLLAR to fit 800 series



RH 835



RH 838

** BOOT POINTS **

- RH 850 BOOT POINT

to fit 500 series



- RH 851 BOOT POINT

to fit 800 series

** RATCHET DETENT **

- RH 858 RATCHET DETENT



** SPOOLS and WEAR BLOCK **

- RH 842 SPOOL with SET-SCREW COLLAR
 RH 844 SPOOL

RH 842



RH 844



NOTE: Please specify 7/8" or 1" rod

- RH 845 WEAR BLOCK

for RH 842 and RH 844



** IDLER SPROCKET ASSEMBLY **

- RH 855A IDLER SPROCKET with BUSHING
 RH 794 CAST WASHER



RH 855



RH 856
1/2" Bushing



RH 794
1/2" Hole

** GOOSE-NECK POINTS **

- RH 846 A STANDARD GOOSE-NECK POINT



Chrome Alloy rod pre-welded onto leading edge of 3/8" T-1 steel.

RH ROD WEEDER PARTS to fit ANDERSON and LEON

** CENTER DRIVE SPROCKET and COLLAR **

- RH 891 CENTER DRIVE SPROCKET
 for 1" ROUND ROD



- RH 895 WEAR COLLAR for RH 891



RH ROD WEEDER PARTS to fit INTERNATIONAL

** CENTER DRIVE SPROCKET and COLLAR **

RH 801 CENTER DRIVE SPROCKET

RH 860 WEAR COLLAR for RH 801



NOTE:
Please specify
7/8" or 1" rod

** SPOOLS and WEAR BLOCK **

RH 862 SPOOL with SET-SCREW COLLAR

RH 864 SPOOL



NOTE:
Please specify
7/8" or 1" rod



RH 862

RH 864

** IDLER SPROCKET ASSEMBLY **

RH 825A IDLER SPROCKET with BUSHING

RH 794 or **RH 795 F** CAST WASHER



NOTE:
Please specify
1/2" or 5/8"



RH 825

RH 826 - 1/2" Bushing
RH 827 - 5/8" Bushing

RH 794 - 1/2" Hole
RH 795 F - 5/8" Hole

RH 865 WEAR BLOCK for BOTH



** MAIN DRIVE SPROCKET **

RH 861 MAIN DRIVE
SPROCKET



** BOOT POINTS **

RH 866 REGULAR POINT



RH 868 ROCK POINT

** GOOSE-NECK POINT **

RH 869A GOOSE-NECK POINT



Chrome Alloy rod pre-welded onto leading edge of 3/8" T-1 steel.

RH ROD WEEDER PARTS to fit MORRIS

** CENTER DRIVE SPROCKET and COLLAR **

RH 871 HEX-CENTER DRIVE SPROCKET for 1" HEX ROD

RH 873 WEAR COLLAR for RH 871



** SPOOL and WEAR BLOCK **

RH 875 SPOOL for 1" HEX ROD

RH 877 WEAR BLOCK for RH 875



** WELD-ON DRIVE SPROCKET **

RH 879 WELD-ON DRIVE
SPROCKET



** GOOSE-NECK POINTS **

RH 881 A TIP for GOOSE-NECK

Chrome Alloy rod pre-welded
onto leading edge of 2
3/16" steel plates.



RH 882 A GOOSE-NECK POINT



Chrome Alloy rod pre-welded onto
leading edge of 3/8" T-1 steel.

** BOOT POINT **

RH 886 REGULAR POINT



RH 887 LEFT and RIGHT REPLACEABLE
BOLT-ON SIDE PLATES

RH 878 WEAR BLOCK

for ROUND ROD

