



Setting the Standard for Wear!

R & H CHROME ALLOY WEAR PLATES

UNIVERSAL WEAR PLATES

R & H Machine has available for our customers a wide variety of cast Chrome Alloy plates of various dimensions. Although we are willing to make particular sizes for certain uses, our customers have found it possible to alter the size and shape of existing plates for a more “universal” application. Our plates can be cut with a plasma or water-jet cutter, and then heated and welded onto the area of your equipment that needs to be protected from abrasive wear.

WEAR PLATES with BACKING

R & H Machine offers wear plates pre-welded to a steel base for ease of installation where the added thickness is not an issue. These parts do not need to be heated prior to installation.

WELD-ON ANGLED WEAR PLATES

R & H Machine also has available a selection of weld-on plates with angles and curves for specialized applications. These shapes are useful as leading edges and surfaces on planter sleds and skids. Please refer to welding instructions for tips on installation.

BOLT-ON WEAR PLATES

R & H Machine offers bolt-on plates in several different shapes, sizes and thicknesses for your convenience to help extend the life of skids and sleds. Bolt holes are countersunk to protect the bolt heads from wear.

Important Instructions for Welding!

- 1. All R & H Chrome Alloy weld-on parts must be heated to a **bright, cherry red** before welding.**
- 2. Base parts will need to be trimmed first to fit the inserted part.**
- 3. Use either stick or wire feed with mild-steel wire or rod such as 6011.**
- 4. Welding must be done with the casting **red**, and the base part warm to prevent cracking.**
- 5. Room-cool out of draft.**

Special problems require special solutions!!!

RH UNIVERSAL WEAR PLATES

1/2" CHROME ALLOY WEAR PLATES

- RH 907 14" x 14" x 1/2"
- RH 908 12" x 12" x 1/2"
- RH 935 12" x 8-1/2" x 1/2"
- RH 913 12" x 4-1/2" x 1/2"



1/4" CHROME ALLOY WEAR PLATES

- RH 909 12" x 8" x 1/4"



1" CHROME ALLOY STRIP

- RH 11-3/16 1" STRIP
- RH 11-3/8
- RH 11-1/2
- RH 11-3/4



Length: 12"
Width: 1"
Thickness: Available in
3/16" 3/8" 1/2" and 3/4"

3/8" CHROME ALLOY WEAR PLATES

- RH 910 14" x 6" x 3/8"
- RH 911 14" x 9" x 3/8"



- RH 922 SQUARE WEAR PLATE

Length: 3"
Width: 3"
Thickness: 3/16"



- RH 924 WEAR PLATE

Length: 4"
Width: 3"
Thickness: 3/16"
Hole: 3/4"



2" CHROME ALLOY STRIP

- RH 23 2" STRIP


Length: 12"
Width: 2"
Thickness: 3/8"



3" CHROME ALLOY STRIP

- RH 24 3" STRIP

Length: 14"
Width: 3"
Thickness: 3/8"



RH WEAR PLATES with BACKING

RH 920 SLOTTED WEAR PLATE

Length: 7"
Width: 5"
Thickness: 3/8"



RH 920 B WEAR PLATE with BACKING

Length: 7"
Width: 5"
Thickness: 3/4"
including backing



NOTE: RH Chrome Alloy plate is pre-welded onto a 3/8" mild-steel backing for ease of installation.

RH 921 SLOTTED WEAR PLATE

Length: 4"
Width: 3"
Thickness: 3/8"



RH 921 B WEAR PLATE with BACKING

Length: 4"
Width: 3"
Thickness: 3/4"
including backing



NOTE: RH Chrome Alloy plate is pre-welded onto a 3/8" mild-steel backing for ease of installation.

RH 957 WEAR PLATE

Length: 12"
Width: 4"
Thickness: 1"



RH 957 B WEAR PLATE with BACKING

Length: 12"
Width: 4"
Thickness: 1-1/2"
including backing



NOTE: RH Chrome Alloy plate is pre-welded onto a 1/2" T-1 backing for ease of installation.

RH 958 WEAR PLATE

Length: 12"
Width: 5"
Thickness: 1"



RH 958 B WEAR PLATE with BACKING

Length: 12"
Width: 5"
Thickness: 1-1/2"
including backing



NOTE: RH Chrome Alloy plate is pre-welded onto a 1/2" mild-steel backing for ease of installation.

RH WELD-ON ANGLED WEAR PLATES

RH 934 WELD-ON POINTED WEAR PLATE

Length:
Overall: 16"
Angled: 7"
Side: 9"



Width: 8-1/2"
Thickness: 1/2"
Angle: 118*

RH 936 WELD-ON ANGLED WEAR PLATE

Length:
Base: 16"
Top: 9"



Width: 6"
Thickness: 1/2"
Angle: 122*

RH 937 WELD-ON ANGLED WEAR PLATE

Length:
Base: 20"
Top: 17-1/2"



Width: 6"
Thickness: 1/2"
Angle: 112*

RH 216 WELD-ON CURVED WEAR PLATE

Length: 13"
Width: 4"
Rise: 2-3/4"

TOP VIEW



SIDE VIEW



RH BOLT-ON WEAR PLATES

RH 904 BOLT-ON WEAR PLATE

Length: 18-1/2"
Width: 4"
Thickness: 7/8"
Holes: 7/16" hex



RH 906 BOLT-ON WEAR PLATE

To fit: Reynolds land leveller

Length: 20"
Width: 10"
Thickness: 1-1/8"
Holes: 5/8" hex



RH 912 BOLT-ON WEAR PLATE

Length: 16" **Holes:** 1/2"
Width: 3" **Spacing:** 8"
Thickness: 1/2"



RH 915 NUT-HARVESTER LINER

To fit: Flory nut harvester

Length: 15-5/8"
Width: 14-3/8"
Thickness: 3/4"
Holes: 1/2" hex



RH 953 BOLT-ON WEAR PLATE

Length: 18"
Width: 3-1/2"
Thickness: 1"
Holes: 1/2" hex



RH 954 BOLT-ON WEAR PLATE

Length: 12"
Width: 5"
Thickness: 3/4"
Holes: 3/4" hex



RH 956 BOLT-ON WEAR PLATE

Length: 12"
Width: 12"
Thickness: 1"
Holes: 5/8" hex



RH 955 BOLT-ON WEAR PLATE

Length: 12"
Width: 6"
Thickness: 1"
Holes: 5/8" hex



RH 12 4-HOLE CHROME ALLOY STRIP



Length: 16"
Width: 1-1/2"
Thickness: 1/4"
Holes: 1/4" countersunk
Hole spacing: 4"